

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S65	622	717/126,148,162,166.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/19 12:48
S66	294	718/1.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/19 12:48
S67	125	719/332.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/19 12:49
S68	16535	class\$2 same (link\$3 or load\$3 or access\$3) same (protect\$2 or private or system)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/19 12:53
S69	8735	(class\$2 same (link\$3 or load\$3 or access\$3) same (protect\$2 or private or system)) and check\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/19 12:54
S70	177	(717/126,148,162,166.ccls. or 718/1.ccls. or 719/332.ccls.) and ((class\$2 same (link\$3 or load\$3 or access\$3) same (protect\$2 or private or system)) and check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/19 12:53
S71	408	(class\$2 same (link\$3 or load\$3 or access\$3) same (protect\$2 or private or system)) and check\$3 and (JVM or "Java vittual machine")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/19 12:54
S72	118	(class\$2 same (link\$3 or load\$3 or verficiation) same access\$3 same (protect\$2 or private or system)) and check\$3 and (JVM or "Java vittual machine")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/19 12:55
S73	24	(717/126,148,162,166.ccls. or 718/1.ccls. or 719/332.ccls.) and ((class\$2 same (link\$3 or load\$3 or verficiation) same access\$3 same (protect\$2 or private or system)) and check\$3 and (JVM or "Java vittual machine"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/10/19 12:55
S74	2	java and (package same protected near class\$2 same access\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/19 15:04
S75	5	java and package and (protected near class\$2 same access\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/19 15:06

S76	1	java and (JVM or "Java virtual machine") and package and (protected near class\$2 same access\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/19 15:34
S77	1	"6381734".pn. and (package and class\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/19 15:09
S78	33	java and (JVM or "Java virtual machine") and (package same protected same class\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/20 12:58
S79	16	java and (JVM or "Java virtual machine") and (package same protected same class\$2) and (class\$2 near\$5 load\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/20 14:31
S80	1	"6618769".pn. and exception	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/20 15:11
S81	785	load\$3 same package\$1 same check\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/20 15:12
S82	185	load\$3 near\$5 package\$1 same check\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/20 15:12
S83	7211	"717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/20 15:12
S84	125	719/332.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/20 15:12
S85	12	(load\$3 near\$5 package\$1 same check\$3) and ("717"/\$.ccls. or 719/332.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/25 10:32
S86	1	(defined near\$5 class\$2 with load\$3) same check\$3 same exception\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/20 15:26
S87	7	(user-defined near\$5 class\$2 with load\$3) same check\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/21 08:08


S88	1	"6430569".pn. and user-defined and class\$2 and check\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/21 08:10
S89	18	(user-defined same (protected or system\$6 near2 class\$2)) and check\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/21 08:12
S90	608	(user\$1 or program) near2 class\$2 same (load\$3 or verif\$6)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/25 10:18
S91	7248	"717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/21 08:31
S92	152	((user\$1 or program) near2 class\$2 same (load\$3 or verif\$6)) and ("717"/\$.ccls. or 719/332.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/21 08:31
S93	11	((user\$1 or program) near2 class\$2 same (load\$3 or verif\$6)) and "717"/\$.ccls. and 719/332.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/21 11:03
S95	759	717/116,118,147,148,165,166.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/21 11:04
S96	6	(security near2 check\$3) same protected near2 (class\$2 or object\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/21 11:06
S97	856	(719/332.ccls. or 717/116,118,147, 148,165,166.ccls.) or ((security near2 check\$3) same protected near2 (class\$2 or object\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/25 10:18
S98	0	(719/332.ccls. or 717/116,118,147, 148,165,166.ccls.) and ((security near2 check\$3) same protected near2 (class\$2 or object\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/09 11:25
S99	363	719/331,332.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/25 10:08
S100	555	717/162-167.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/25 10:08

S10 1	76	load\$3 and link\$3 and ((check\$3 or determin\$3) same protected near (class\$2 or object\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/25 10:13
S10 2	0	(719/331,332.ccls. or 717/162-167.ccls.) and (load\$3 and link\$3 and ((check\$3 or determin\$3) same protected near (class\$2 or object\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/25 10:13
S10 3	27	link\$3 and (load\$3 same (check\$3 or determin\$3) same protected near (class\$2 or object\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/25 10:13
S10 4	6	((user\$1 or program) near2 class\$2 same (load\$3 or verif\$6 or link\$3)) and ((check\$3 or determin\$3) same (protected near (class\$2 or object\$1) same load\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/25 10:22
S10 5	0	(load\$3 same protected near2 class\$2 same check\$3 same (access\$3 or includ\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/25 10:34
S10 6	6	(load\$3 same protected near2 class\$2 same check\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/07 11:22
S10 7	4	(load\$3 same protected near2 class\$2 same check\$3) and security	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/25 11:44
S10 8	6	(load\$3 same protected near2 class\$2 same (check\$3 or determin\$3)) and security	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/25 11:45
S10 9	2	(load\$3 same protected near2 class\$2 same (check\$3 or determin\$3)) and findclass\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/25 11:45
S11 0	2	"2332288".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/25 16:05
S11 1	0	check with protected near class\$2 same load\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/07 13:23
S11 2	6	(check or determin\$3) same protected near class\$2 same load\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/07 12:57

S11 3	52	(check or determin\$3) same (allow\$3 or protected) near class\$2 same load\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/07 13:23
S11 4	7	(check or determin\$3) same protected near5 class\$2 same load\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/07 13:23
S11 5	5699	package same protected	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/08 15:37
S11 6	1866	load\$3 and (package same protected)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/08 15:37
S11 7	2	package with protected near class\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/08 15:37
S11 8	12	package same protected near class\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/08 15:38
S20 6	367	719/331,332.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/09 11:24
S20 7	1122	717/116,118,147,148,162-167.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/09 11:25
S20 8	4349	713/164-167,189,190,193,200.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/09 11:26
S20 9	19	(verifi\$4 or load\$3) same catalog near10 class\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/09 11:27
S21 0	2	(1or S207 or S208) and S209	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/09 11:27
S21 1	27	(verif\$5 or load\$3) same protected near2 class\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/09 11:39

S21 2	251	(verif\$5 or load\$3) same (protected or librar\$3) near2 class\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/09 11:39
S21 3	129	(verif\$5 or load\$3) with (protected or librar\$3) near2 class\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/10 08:23
S21 4	55	(S206 or S207 or S208) and S212	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/09 11:40
S21 5	31	(S206 or S207 or S208) and S213	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/09 12:37
S21 7	1	librar\$3 with protected near2 class\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/09 12:39
S21 9	32	(load\$3 or link\$3 or verif\$4) same protected near2 class	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/09 13:14
S22 0	2857	(verif\$4 or link\$3 or load\$3) same (catalog\$1 or list or file\$1) with class\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/13 17:04
S22 1	53	((verif\$4 or load\$3) same (catalog\$1 or list or file\$1) with class\$2) and protected near2 (object\$1 or class\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/13 17:05
S22 2	53	((verif\$4 or load\$3) same (catalog\$1 or list or file\$1) with class\$2) and (protected near2 (object\$1 or class\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/13 17:05
S22 3	126	719/332.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/13 17:05
S22 4	1124	717/116,118,147,148,162-167.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/13 17:06
S22 5	4362	713/164-167,189,190,193,200.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/13 17:06

S22 6	10	S222 and (S223 or S224 or S225)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/13 17:29
S22 7	23	check\$3 same load\$3 same (catalog or file or list) near5 classes	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/13 17:47
S22 8	0	"6714991".pn. and load\$2 and class\$2 and protected	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/13 17:47
S22 9	50	check\$3 same load\$3 same (protected or system or private) near2 class\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/15 07:04
S23 0	66	check\$3 same load\$3 near10 (protected or system or private) near2 class\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/15 07:04
S23 1	63	(Java or run\$time or dynamic\$4) and S230	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/15 07:05
S23 2	19	(Java or run\$time or dynamic\$4) same S230	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/15 07:05
S23 3	26	S231 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/15 07:50



Web Results 1 - 10 of about **144,000** for **check access load protected class exception**. (0.31 seconds)

Controlling Package Access With Security Permissions and Sealed ...

... a subclass of URLClassLoader that does **check package access**. ... you will not be able to **load** sealMe.LoadMe ... in the tip "Controlling Package Access With Security ...
java.sun.com/developer/JDCTechTips/2001/tt0130.html - 27k - [Cached](#) - [Similar pages](#)

ClassLoader (Java 2 Platform SE v1.4.2)

... if the name argument is null, this **check** is not ... that the **class** loader doesn't have **access** to will ... override this method to specify where to **load** resources from. ...
java.sun.com/j2se/1.4.2/docs/api/java/lang/ClassLoader.html - 77k - [Cached](#) - [Similar pages](#)
[[More results from java.sun.com](#)]

Implementing a Class Loader (Java Security)

... existing implementation of the **class** or **check** to see ... this method to Chapter 5, "The **Access Controller**", when ... use the same paradigm for **loading classes** that a ...
www.unix.org.ua/oreilly/java-ent/security/ch03_04.htm - 26k - [Cached](#) - [Similar pages](#)

BEA WebLogic Server and WebLogic Express 8.1 Messages

... Description. Out of memory **exception** encountered when **loading** statistics. Cause. ... Action. **Check** the **access** rights and make appropriate changes. BEA-130031. ...
edocs.bea.com/wls/docs81/messages/XML.html - 31k - [Cached](#) - [Similar pages](#)

Java Security Basic

... 2. **Check** superclass is not Object. ... Verify member **access** with public **protected**, default, or private. ... name); if (c == null) { try { // If cannot **load** the **class** ...
www.openloop.com/softwareEngineering/security/Java/Overview/ - 14k - [Cached](#) - [Similar pages](#)

Java programming dynamics, Part 8: Replacing reflection with code ...

... test code I'll use to **check** out the ... result = runAccess(count, **access**, bean); time ...
super(TimeCalls.**class**.getClassLoader()); } **protected Class load**(String name ...
www-106.ibm.com/developerworks/java/library/j-dyn0610/ - 58k - [Cached](#) - [Similar pages](#)

Security and the class loader architecture

... of java.lang and could possibly use that special **access** for devious ... **class** loader indicates it can't **load** the **class**, your **class** loader should **check** to make ...
www.javaworld.com/javaworld/jw-09-1997/jw-09-hood.html - [Similar pages](#)

Protected Mode Basics

... of the segment by testing the **access** rights in ... all the tests, then the CPU **loads** the descriptor ... point error Alignment **check** Machine **check** Software interrupts, 0 ...
www.x86.org/articles/pmbasics/tspec_a1_doc.htm - 59k - Nov 5, 2004 - [Cached](#) - [Similar pages](#)

Checklist: Managed Code

... Code demands permission for user authorization where assemblies are **loaded** dynamically. Unmanaged Code **Access**. **Check**, Description. ...
msdn.microsoft.com/library/en-us/secmod/html/secmod106.asp - 33k - [Cached](#) - [Similar pages](#)

Dynamic Linking and Resolution

... sure the current **class** has permission to **access** the method ... compiler would always

need to include a **check** of Anthill ... version of java.lang.Object and **load** it in ...
www.artima.com/insidejvm/ed2/linkmodP.html - 101k - [Cached](#) - [Similar pages](#)


Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google



Web Results 121 - 130 of about **58,300** for **dynamic class load check determine protected class exception**.

[PDF] Safe and Secure Execution Mechanisms for Mobile Objects Kazuhiko ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... issues, Java provides a special **class** library called ... If the **check** fails, the inserted code will trap ... virtual address space, and enables **dynamic load** and unload ...

www.osss.is.tsukuba.ac.jp/~kato/files/97Incs-mobile-object.pdf - [Similar pages](#)

Multi-Dispatch in the Java Virtual Machine: Design and ...

... **loads class C** in order to **determine** its place ... **loaded** by the JVM, we **check** to see ... to use existing libraries and diminishes Java's **dynamic class loading** benefits ...

www.cs.ualberta.ca/~paullu/Papers/COOTS2001-HTML/mdj.html - 101k - [Cached](#) - [Similar pages](#)

New Security Mechanisms in Sun's Java 2 (Ch. 3, Sec. 7) [Securing ...

... **class**, which performs a **dynamic** inspection of ... 2 typically used the **Class Loader** and Security ... `getClass().getClassLoader(); if (loader != null) { SecurityManager ...`

www.securingjava.com/chapter-three/chapter-three-7.html - 32k - Nov 5, 2004 - [Cached](#) - [Similar pages](#)

[PDF] SECURE JAVA CLASS LOADING

File Format: PDF/Adobe Acrobat

... in the call chain when a security **check** is invoked ... The rules for it to **determine** the requesting **class** ... 5. S. Liang and G. Bracha, "Dynamic Class Loading in the ...

dx.doi.org/10.1109/4236.735987 - [Similar pages](#)

[[More results from dx.doi.org](#)]

[Chapter 9] 9.6 Writing a Protocol Handler

... arguments to the constructor of a **class** when it's **dynamically loaded**. ... (This is how Java **loads** the content ... general factory, we would compute a **class** name from ...

www.unix.org.ua/oreilly/java/exp/ch09_06.htm - 39k - [Cached](#) - [Similar pages](#)

ONJava.com: Java vs. .NET Security, Part 1

... created on demand to account for **dynamic** policies, provided ... **classes** in which packages can be **loaded**, define its ... void type—a single-root **class** hierarchy exists ...

www.onjava.com/pub/a/onjava/2003/11/26/javavsdotnet.html?page=last - 66k - [Cached](#) - [Similar pages](#)

Security

... Since all **dynamic** memory requests are allocated from the heap, the garbage collector only needs to monitor ... If not found, **load** the data for the **class**. ...

www.complex-ite.net/tutorials/securityfundamentals/Security.html - 101k - [Cached](#) - [Similar pages](#)

Support for Windows Visual Styles (Themes) API in your controls

... also implement **dynamic loading** of theme ... type `TEIXPThemedControl = class(TCustomControl)` private ... procedure `FreeThemeHandle`; **dynamic**; procedure `CreateThemeHandle` ...

[www.akzhan.midi.ru/.../Windows%20Visual%20Styles%20\(Themes\)%20API%20Support%20in%20Your%20controls%20Eng.htm](http://www.akzhan.midi.ru/.../Windows%20Visual%20Styles%20(Themes)%20API%20Support%20in%20Your%20controls%20Eng.htm) - 46k - [Cached](#) - [Similar pages](#)

[PDF] Microsoft PowerPoint - mobilecode.impl.ppt

File Format: PDF/Adobe Acrobat

... the **class** through remote **dynamic** linking ... byteCode ... name but different implementation - By **loading** them through separate **class** loaders, name ...

www.elet.polimi.it/upload/picco/advschoolpisa/pdf/mobilecode.impl.pdf - [Similar pages](#)

[\[PDF\] Evolving Persistent Applications on Commercial Platforms](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

... the Napier88 compiler to produce rst **class** procedures whose ... code, thus the code is automatically **loaded** into the ... A **dynamic** type **check** is then required to ...

www.dcs.st-and.ac.uk/research/publications/download/KMM97.pdf - [Similar pages](#)

Result Page: [Previous](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#) [22](#) [Next](#) [Search within results](#) | [Language Tools](#) | [Search Tips](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINE OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.